

myFeedback:



how to create, update and use grids

When using myFeedback, you can view and edit the grid specifications particular to your circumstances or what has been provided to you by your processor. A processor can share a grid with their supply chain, or a producer can add their own grid into the system. Depending on the grid type, a dollar amount or a discount can be displayed. The grid will be dynamic and will show full compliance or non-compliance.

To view grids:

📶 🥘			()) Resources ∨ 🔹 John Smith ∨
Consignment Summary	Grid Specifications	Reports	You are viewing cattle 🖓 🗸
Grid Specific	ations		

1

Navigate to the 'Grid Specifications' page. A list of available grids will be displayed. If there are no grids displayed select the 'Create New Grid' button on the right hand side. To filter the grids displayed, begin typing in the 'Grid Name' section and filter by active date using the drop-down calendar. Select 'Apply Filter' to display filtered results. The columns can be used to further sort the grids, for example, in date order or by Grid Type.

ansignment Summary Orid Speci	fications	Rep	orts			You are viewing a
Grid Specifications						
Drid Name		Active Date:	ddimm/yyyy	8	Appy Pitter ->	
Manage Grids						Create New Orld
One Name	Matus	010 7594	Albie Prim	Active To	Created On	Actors
541222	Instea	Amountdrap	01010228	13/04/2020	1014/2023	VewEdt Close Dolo
Compliance Report Settl with multiple stats	Index	Amount (\$19p)	16/06/2022	3004/2125	64549025	VewEdit Close Evelo
Compliance with 1 stait PE	Index	Anount(\$18p)	14/64/2023	180x2225	64542023	VewEdit Close Delet
Complaince feat	Inclu	Amount (\$15p)	00/04/2023	11/04/2023	04042020	VewEdit Close Dates
Complement Test 2	Inclu	Amount (\$15p)	09/04/2023	11042023	64640625	VewEdt Cose Evin
Compliance with 1 trait Rodat	India	Amount drives	1464/2023	18042325	64642625	VewEdit Close Evies
Consignie Test2	(hereiter	ADDITI THE	00/04/2023	11/04/2023	04042022	VewEdt Close Delet

Create new grids

To create a new grid, select 'Create New Grid'. This will open a new page. Enter the 'Grid Name', 'Target market', 'Active From' and 'Active To' dates, and select the 'Grid Type' from the dropdown. Grids can be created with an 'Amount \$/kg' or 'Discount \$/kg'. The information relevant to that grid type will then be displayed.

e 🧶					⑦ Resources ~ J
Consignment Summary	Grid Specifications	Reports			You are viewing cattle
C Back to My Grid	5				
Create G	rid				
Enter Grid D					
			TARGET MARKET.		
Enter Grid D		ā	TARGET MARKET.	ddimesiyyyy	G



If you select to 'Create New Grid' or 'View/edit' an existing grid, the 'Create Grid' page will be opened. Here, you can modify any of the grid parameters or begin creating a whole new template. Use the 'Select Overall Grid Traits' to add in parameters to the grid. Each new grid will always be defaulted to Hot Standard Carcase Weight and P8 Fat.

	One Specif	hadons Rep				Tourn revery salls
Create Gr	id					
Enter Grid De	rtolis					
-	16050			BASET MUTHET	Rec .	
ACTIVE FROM	01012020			ACTIVE TO	12042023	a
	Amount Ship					
Select Overal Select-shick tasks Tasks	re applicable to this grid	W.D. (Mitching D. (180)	0			
Set P8 Fat Tr friethering to						EXAMPLE VELVE BARNES Contra Ant Port a
Inn		Ilen	10 mm			

On each trait, you can edit whether it is a single value or range. This will drive whether you need to add or remove points within the trait or if you need to specify if the trait is above or below a certain value. If you have selected a 'discount' grid in the top filter options, you will be required to input the deduction in this section to build/pre-fill the table below.



7		
	4	
		2

Once you have built in your traits and ranges a table will appear. If you have selected an 'amount' grid you will be required to input the \$ values for each section. If you have selected a 'discount' grid option it will have pre-populated based on your inputs above.













 creating a new grid, click 'Flinish Setting Up Grid. i win win wind wind wind wind wind wind	'Update Grid' to save your changes, or if you are	2 For each trait selected, you need to select a value or range to be used in the grid. A slider or a table will b
 values or ranges based on your preference. Select Single Value' or 'Ranges' for each trait. (a) To return to the Grid List, select 'Back to My Grids' at the top of the page. (b) To return to the Grid Specifications page, you can also 'Clone' to create a direct copy of an existing grid. then modify it to suit. You can also select 'Delete' to delete a grid. (c) To make Grid Specifications page, you can also 'Clone' to create a direct copy of an existing grid. then modify it to suit. You can also select 'Delete' to delete a grid. (c) The Grid Specifications page, you can also 'Clone' to create a direct copy of an existing grid. then modify it to suit. You can also select 'Delete' to delete a grid. (c) The select Penalties' select the delete a grid. (c) The 'Stotus' is displayed as 'Inactive', this means the 'Active Date' selected at the top of the page falls outside the grid's 'Active From' and Active To' dates. (c) The 'Stotus' is displayed as 'Inactive', this means the 'Active Date' selecting at the top of the page falls outside the grid's 'Active From' and Active To' dates. (c) The 'Stotus' is displayed as 'Inactive', this means the 'Active Date' selecting at the top of the page falls outside the grid's 'Active From' and Active To' dates. (c) The 'Stotus' is displayed as 'Inactive', this means the 'Active Date' selecting at the top of the page falls outside the grid's Active From' and Active To' dates. (c) The 'Stotus' is displayed as 'Inactive', this means the 'Active Date' selecting at the top of the page falls outside the grid's Active From' and Active To' dates. (c) The 'Stotus' is displayed as 'Inactive', this means the 'Active Date' selecting at the top of the page falls outside the grid's Active From' and Active To' dates. (c) The 'Stotus' is displayed as 'Inactive', this means the 'Active Date' selecting at means at the 'Active Date' selecting at the top of the page falls outside the grid		
intermediate		
<complex-block> 6) The true to the Grid List, select Back to My Grid's the top of the page. 7) The the Grid Specifications page, you can else 'Chere' to calete a grid. 7) The the Grid Specifications page, you can else 'Chere' to calete a grid. 7) The the Grid Specifications page, you can else 'Chere' to calete a grid. 8) The 'Status' is displayed as 'Inactive', this means the 'Active Data' select to elete To cates. 8) The 'Status' is displayed as 'Inactive', this means the 'Active Data' selected at the top of the page fails outside the grid's 'Active From' and 'Active To' cates. 9) The 'Status' is displayed as 'Inactive', this means the 'Active Data' selected at the top of the page fails outside the grid's 'Active From' and 'Active To' cates. 9) The 'Status' is displayed as 'Inactive', this means the 'Active Data'' selected at the top of the page fails outside the grid's 'Active From' and 'Active To' cates. 9) The 'Status' is displayed as 'Inactive', this means the 'Active Data'' selected at the top of the page fails outside the grid's 'Active From' and 'Active To' cates. 9) The 'Status' is displayed as 'Inactive', this means the 'Active Data'' selected at the top of the page fails outside the grid's 'Active From' and 'Active To' cates. 9) The 'Status' is displayed as 'Inactive', this means the 'Active Data'' selected at the top of the page fails outside the grid's 'Active From' and 'Active To' cates. 9) The 'Status' is displayed as 'Inactive', this means the 'Active Data'' selected at the top of the page fails outside the grid's 'Active From' and 'Active To' cates. 9) The 'Status' is displayed as 'Inactive', this means the 'Active Data'' selected at the top of the page fails outside the grid's 'Active From' and 'Active To' cates. 9) The 'Status' is displayed as 'Inactive', this means the 'Active Data'' selected at the top of the page fails outside the grid's 'Active From' and 'Active To' cates. <</complex-block>	Canada Hadata Grid	
 6 The true to the Grid List, select 'Back to My Grids' at the top of the page. 7 From the Grid Specifications page, you can also 'Creat' for the create a direct copy of an existing grid, then modify it to suit. You can also select 'Delete' to delete a grid. 8 The 'Status' is displayed as 'Inactive', this means the 'Active Date' selected at the top of the page fails outide the grid's 'Active From' and 'Active To' dates. 9 Atter selecting Amount \$kg in the Grid Type section, select the traits to include in the grid's 'Active From' and 'Active To' dates. 9 Atter selecting Amount \$kg in the Grid Type section, select the traits to include in the grid's 'Active From' and 'Active To' dates. 1 Atter selecting Amount \$kg in the Grid Type section, select the traits to include in the grid's Sector. Click on the desired trait to add in the grid. 1 Atter selecting Amount \$kg in the Grid Type section, select the traits to include in the grid's Sector. Click on the desired trait to add in the grid. 1 Atter selecting Amount \$kg in the Grid Type section, select the traits to include in the grid's Sector. Click on the desired trait to add in the grid. 1 Atter selecting Amount \$kg in the Grid Type section, select the traits to include in the grid's Sector. Click on the desired trait to add in the grid. 1 Atter selecting Amount \$kg in the Grid Type section, select the traits to include in the grid's Sector. Click on the desired trait to add it to othe grid. 	Cancer Containing op Orta	
 6 To return to the Grid List, select 'Back to My Grids' at the top of the page. 7 From the Grid Specifications page, you can also 'Clone' to create a direct copy of an existing grid, them modify it to sult. You can also select 'Delete' to delete a grid. 7 From the Grid Specifications page, you can also 'Clone' to create a direct copy of an existing grid, them modify it to sult. You can also select 'Delete' to delete a grid. 8 The 'Status' is displayed as 'Inactive', this means the 'Active Date' selected at the top of the page fails outside the grid's 'Active From' and 'Active To' dates. 9 The 'Status' is displayed as 'Inactive', this means the 'Active Date' selected at the top of the page fails outside the grid's 'Active From' and 'Active To' dates. 9 After selecting Amount \$/kg in the Grid Type section, select the traits to inclue in the grid's. Search for the trait using the drop-down menu in the 'Select Overall grid Traits' section. Click on the desired trait to add it to the grid's. 		Select which helts are applicable to this grid
 6 To return to the Grid List, select 'Back to My Grids' at the top of the page. 7 From the Grid Specifications page, you can also 'Clone' to create a direct copy of an existing grid, then modify it to suit. You can also select 'Delete' to delete a grid. 7 From the Grid Specifications page, you can also 'Clone' to create a direct copy of an existing grid, then modify it to suit. You can also select 'Delete' to delete a grid. 8 If the 'Status' is displayed as 'Inactive', this means the 'Active Date' selected at the top of the page fails outside the grid's 'Active From' and 'Active To' dates. 9 After selecting Amount \$/kg in the Grid Type section, select the traits to include in the grids. Search for the traits grid by using the drop-down function for add more rows, select the vAdd Row + 'button. Select the traits to include in the grids. Search for the trait using the drop-down menu in the 'Select Overall Grid Trait's section. Click on the desired trait to add it to the grid. 		
 8 If the 'Status' is displayed as 'inactive', this means the 'Active Date' selected at the top of the page fails outside the grid's 'Active From' and 'Active To' dates. 9 After selecting Amount \$/kg in the Grid Type section, select the traits to include in the grids. Search for the traits do nuclude in the grids. Search for the traits	6 To return to the Grid List, select 'Back to My Grids' at	
 ************************************	the top of the page.	ing toog toog
 7 from the Grid Specifications page, you can also 'Clone' for create a direct copy of an existing grid, then modify it to sut. You can also select 'Delete' to delete a grid. 7 from the Grid Specifications page, you can also 'Clone' for the train to grid. 8 from the Grid Specifications page. You can also 'Clone' for the train to the select the train to include in the grid. Search for the train to include in the grid. Search for the train to add the value to sut to the grid. 9 After selecting Amount \$/kg in the Grid Type section, select the trains to include in the grid. Search for the train to add to the grid. 9 After selecting Amount \$/kg in the Grid Type section, select the trains to include in the grid. 9 After selecting Amount \$/kg in the Grid Type section, select the trains to include in the grid. 9 After selecting Amount \$/kg in the Grid Type section, select the trains to include in the grid. 9 After selecting Amount \$/kg in the Grid Type section, select the trains to include in the grid. 9 After selecting Amount \$/kg in the Grid Type section, select the trains to include in the grid. Search for the train to the grid is 'section, Click on the desired trait to add it to the grid. 		
 7 From the Grid Specifications page, you can also 'Clone' to create a direct copy of an existing grid, then modify it ostic. You can also select 'Delete' to delete a grid. 8 The "Status" is displayed as 'hactive', this means the 'Active Date' selected at the top of the page fails outside the grid's 'Active From' and 'Active To' dates. 9 After selecting Amount \$/kg in the Grid Type section, select the traits to include in the grid's. Search for the trait using the drop-down menu in the 'Select Overall Grid Tari's section, Click to nthe desired trait to add the yealue to sul to the grid's 'Section, Click to nthe desired trait to add the yealue to sul to the grid's 'Section, Click to nthe desired trait to add the yealue to sul to the grid's 'Section, Click to nthe desired trait to add the yealue to sul to the grid's 'Section, Click to nthe desired trait to add the yealue to sul to the grid's 'Section, Click to nthe desired trait to add the yealue to sul to the grid's 'Section, Click to nthe desired trait to add the yealue to sul to the grid's 'Section, Click to nthe desired trait to add the yealue to sul to the grid's 'Section, Click to nthe desired trait to add the yealue to sul to the grid's 'Section, Click to nthe desired trait to add the yealue to sul to the grid's 'Section, Click to nthe desired trait to add the yealue to sul to the grid's 'Section, Click to nthe desired trait to add the yealue to sul to the grid's 'Section, Click to nthe desired trait to add the yealue to sul to the grid's 'Section, Click to nthe desired trait to add the yealue to sul to the grid's 'Section, Click to nthe desired trait to add the yealue to sul to the grid's 'Section, Click to nthe desired trait to add the yealue to sul to the grid's 'Section, Click to nthe desired trait to add the yealue to sul to the grid's 'Section, Click to nthe desired trait to add the yealue to sul to the grid's 'Section, Section's Sectio	Time () Resources v 🛓 John Smith v	Image: Strain
 7 form the Grid Specifications page, you can also 'Clore' to create a direct copy of an existing grid, then modify it to suit. You can also select 'Delete' to delete a grid. 7 form the Grid Specifications page, you can also 'Clore' to create a direct copy of an existing grid, then modify it to suit. You can also select 'Delete' to delete a grid. 8 for status' is displayed as 'hactive', this means the 'Active Date' selected at the top of the page fails outside the grid's 'Active From' and 'Active To' dates. 9 for Status' is displayed as 'hactive', this means the 'Active Date' selected at the top of the page fails outside the grid's 'Active From' and 'Active To' dates. 1 for Specifing Amount \$/kg in the Grid Type section, select the traits to include in the grid's. Search for the trait using the drop-down menu in the 'Select Overal dird Tarit's section, Click on the desired trait to add it to the grid. 	Component Sonnary Ord Specifications Reports You are vening cates 🖓 v	
 7 From the Grid Specifications page, you can also 'Clone' to create a direct copy of an existing grid, then modify it to suit. You can also select 'Delete' to delete a grid. 7 From the Grid Specifications page. you can also 'Clone' to suit. You can also select 'Delete' to delete a grid. 7 From the Grid Specifications page. you can also 'Clone' to suit. You can also select 'Delete' to delete a grid. 7 From the Grid Specifications page. you can also 'Clone' to suit. You can also select 'Delete' to delete a grid. 8 Free you sure you want to delete this Grid' to me to superior to subject the point on the sile of the specified range and enter a dollar value. 9 The 'Status' is displayed as 'Inactive', this means the 'Active Date' selected at the top of the page falls outside the grid's 'Active From' and Active To' dates. 9 In the 'Status' is displayed as 'Inactive', this means the 'Active Date' selected at the top of the page falls outside the grid's 'Active From' and Active To' dates. 9 In the 'Status' is displayed as 'Inactive', this means the 'Active Date' selected at the top of the page falls outside the grid's 'Active From' and Active To' dates. 9 In the 'Status' is displayed as 'Inactive', this means the 'Active Date' selected at the top of the page falls outside the grid's 'Active From' and Active To' dates. 9 In the 'Status' is displayed as 'Inactive', this means the 'Active Date' selected at the top of the page falls outside the grid's 'Active From' and Active To' dates. 9 In the 'Status' is displayed as 'Inactive', this means the 'Active Date' selected at the ford Type section, select the 'Add Row +' button. Selet the panel incon in each count and enter the specific values to be penalised for this grid by using the drop-down function To add more rows, select the 'Add Row +' button. Selet the panel incon in each count and enter the specific values to be penalised. You can select either a Skg or a percentage pen		
 7 from the Grid Specifications page, you can also 'Clone' to create a direct copy of an existing grid, then modify ito scut You can also select 'Delete' to delete a grid. 8 The 'Status' is displayed as 'Inactive', this means the 'Active Date' selected at the top of the page falls outside the grid's 'Active From' and Active To' dates. 9 After selecting Amount \$/kg in the Grid Type section, select the 'Salect Penalties' section, select the 'add Row +' button. Select the penalised for this grid by using the drop-down function To add more rows, select the 'Add Row +' button. Select the penalised for this grid by using the drop-down function To add more rows, select the 'Add Row +' button. Select the penalised for this grid by using the drop-down function To add more rows, select the 'Add Row +' button. Select the penalised for this grid by using the drop-down function To add more rows, select the 'Add Row +' button. Select the penalised for this grid by using the drop-down function To add more rows, select the 'Add Row +' button. Select the penalised for this grid by using the drop-down function To add more rows, select the 'Add Row +' button. Select the penalised for this grid by using the drop-down function To add more rows, select the 'Add Row +' button. Select the penalised for this grid by using the drop-down function To add more rows, select the 'Add Row +' button. Select the penalised for this grid by using the drop-down function To add more rows, select the 'Add Row +' button. Select the penalised for this grid by using the drop-down function To add more rows, select the 'Add Row +' button. Select the penalised for this grid by using the drop-down function To add more rows, select the 'Add Row +' button. Select the penalised for this grid by using the drop-down function To add more rows, select the 'Add Row +' button. Select penalised for this grid by using the drop-down function To add more rows, select the 'Add Row +' button. Select penalised for this grid by using the drop-down	Enter Grid Details e exe xxxxt: Text0 integration Text0	Set Eye Muscle Area Trait Range(s) sincte value Ranges
 a) Chr a slider, to add additional points of reference, selech the suit. You can also select 'Delete' to delete a grid. a) Chr a slider, to add additional points of reference, selech the solid control will be added onto the slider and select 'X Remove Point'. a) Chr a slider to add additional points of reference, selech the solid control will be added onto the slider and select 'X Remove Point'. a) The table 'Enter Grid Values' will display each trait and the ranges or values you have selected. In each sectiselect the specified range and enter a dollar value. a) If the 'Status' is displayed as 'Inactive', this means the 'Active Date' selected at the top of the page falls outside the grid's 'Active From' and 'Active To' dates. b) After selecting Amount \$/kg in the Grid Type section, select the radius to inte gride. Search for the trait using the drop-down menu in the 'Select Overall Grid Traits' section. Click on the desired trait to add it to the grid. 		Select the value for (py Mattice Area
 to create a direct copy of an existing grid, then modify it to suit. You can also select 'Delete' to delete a grid. The solutional points of reference, select 'Click to Add Point +' which will be added onto the slid rand select 'X Remove Point'. The solutional points of reference, select 'Click to Add Point +' which will be added onto the slid rand select 'X Remove Point'. The table 'Enter Grid Values' will display each trait and the ranges or values you have selected. In each sect is select the specified range and enter a dollar value. The 'Status' is displayed as 'Inactive', this means the 'Active Date' selected at the top of the page falls outside the grid's 'Active From' and 'Active To' dates. The 'Select Penalties' section, search for a trait to be penalised for this grid by using the drop-down function To add more rows, select the 'Add Row +' button. Select 'Na add more rows, select the 'Add Row +' button. Select 'Na add more rows, select the 'Add Row +' button. Select 'Na add more rows, select the 'Add Row +' button. Select 'Na add more rows, select the 'Add Row +' button. Select 'Na add more rows, select the 'Add Row +' button. Select 'Na add more rows, select the 'Add Row +' button. Select 'Na add more rows, select the 'Add Row +' button. Select 'Na add more rows, select the 'Add Row +' button. Select 'Na add more rows, select the 'Add Row +' button. Select 'Na add more rows, select the 'Add Row +' button. Select 'Na add more rows, select the 'Add Row +' button. Select 'Na add more rows, select the 'Add Row +' button. Select 'Na add'' to the grid. 		
 a create a direct copy of an existing grid, then modify it to suit. You can also select 'Delete' to delete a grid. a fit with the suit is a select 'Delete' to delete a grid. b fit a side: T Remove Point. c move a point, select the point on the sider and select 'X Remove Point'. b fit a side: T Remove Point. c move a point, select the point on the sider and select 'X Remove Point'. c move a point. <li< td=""><td>The second secon</td><td></td></li<>	The second secon	
 t to suit. You can also select 'Delete' to delete a grid. Click to Add Point 4' which will be added onto the site To remove a point, select the point on the silder and select 'X Remove Point'. The table 'Enter Grid Values' will display each trait and the ranges or values you have selected. In each sect is select the specified range and enter a dollar value. The 'Status' is displayed as 'inactive', this means the 'Active Date' selected at the top of the page fails outside the grid's 'Active From' and 'Active To' dates. The 'Status' is displayed as 'inactive', this means the 'Active Date' selected at the top of the page fails outside the grid's 'Active From' and 'Active To' dates. The 'Select Penalties' section, search for a trait to be penalised for this grid by using the drop-down function To add more rows, select the 'Add Row +' button. Selet the pen icon in each column and enter the specific values to be penalised. You can select either a \$/kg or a percentage penality type and add the value to su to the grid. 		3 On a slider, to add additional points of reference, sele
 To remove a point, select the point on the silder and select 'X Remove Point'. The remove a point, select the point on the silder and select 'X Remove Point'. The remove a point, select the point on the silder and select 'X Remove Point'. The remove a point, select the point on the silder and select 'X Remove Point'. The remove a point, select the point on the silder and select 'X Remove Point'. The remove a point, select the point on the silder and select 'X Remove Point'. The remove a point, select the point on the silder and select 'X Remove Point'. The remove a point, select the point on the silder and select 'X Remove Point'. The remove a point, select the point on the silder and select 'X Remove Point'. The remove a point, select the point on the silder and select 'X Remove Point'. The remove a point, select the point on the silder and select 'X Remove Point'. The remove a point, select the point on the select 'X Remove Point'. The remove a point, select the point on the select 'X Remove Point'. The remove a point, select the remove a		'Click to Add Point +' which will be added onto the sli
 a fit he 'Status' is displayed as 'Inactive', this means the 'Active Date' selected at the top of the page fails outside the grid's 'Active From' and Active To' dates. a fit he 'Status' is displayed as 'Inactive', this means the 'Active Date' selected at the top of the page fails outside the grid's 'Active From' and Active To' dates. b After selecting Amount \$/kg in the Grid Type section, select the traits to include in the grids. Search for the trait using the drop-down menu in the 'Select Overall Grid Traits' section. Click on the desired trait to add it to the grid. 		To remove a point, select the point on the slider and
 a) If the 'Status' is displayed as 'Inactive', this means the 'Active Date' selected at the top of the page fails outside the grid's 'Active From' and 'Active To' dates. a) After selecting Amount \$/kg in the Grid Type section, select the traits to include in the grids. Search for the trait using the drop-down menu in the 'Select Overall Grid Traits' section. Click on the desired trait to add it to the grid. 	📶 🛞 () Banaras v 🛓 das baits v	select 'X Remove Point'.
 8 If the 'Status' is displayed as 'Inactive', this means the 'Active Date' selected at the top of the page falls outside the grid's 'Active From' and 'Active To' dates. 1 After selecting Amount \$/kgi 1 After selecting Amount \$/kg in the Grid Type section, select the traits to include in the grids. Search for the trait using the drop-down menu in the 'Select Overall Grid Traits' section. Click on the desired trait to add it to the grid. 		
 a If the 'Status' is displayed as 'Inactive', this means the 'Active Date' selected at the top of the page fails outside the grid's 'Active From' and 'Active To' dates. a After selecting Amount \$/kg) b After selecting Amount \$/kg in the Grid Type section, select the traits to include in the grids. Search for the trait using the drop-down menu in the 'Select Overall Grid Traits' section. Click on the desired trait to add it to the grid. 		
 8 The 'Status' is displayed as 'Inactive', this means the 'Active Date' selected at the top of the page falls outside the grid's 'Active From' and 'Active To' dates. 1 After selecting Amount \$/kg) 1 After selecting Amount \$/kg in the Grid Type section, select the traits to include in the grids. Search for the trait using the drop-down menu in the 'Select Overall Grid Traits' section. Click on the desired trait to add it to the grid. 		tem 21m 21m
 8 If the 'Status' is displayed as 'Inactive', this means the 'Active Date' selected at the top of the page falls outside the grid's 'Active From' and 'Active To' dates. 1 After selecting Amount \$/kg in the Grid Type section, select the traits to include in the grids. Search for the trait using the drop-down menu in the 'Select Overall Grid Traits' section. Click on the desired trait to add it to the grid. 		incuse o. Sem
 8 If the 'Status' is displayed as 'Inactive', this means the 'Active Date' selected at the top of the page falls outside the grid's 'Active From' and 'Active To' dates. 1 After selecting Amount \$/kg in the Grid Type section, select the traits to include in the grids. Search for the trait using the drop-down menu in the 'Select Overall Grid Traits' section. Click on the desired trait to add it to the grid. 	Text Initial Analysis Electronic Discretion	
 8 If the 'Status' is displayed as 'Inactive', this means the 'Active Date' selected at the top of the page falls outside the grid's 'Active From' and 'Active To' dates. 1 After selecting Amount \$/kg in the Grid Type section, select the traits to include in the grids. Search for the trait using the drop-down menu in the 'Select Overall Grid Traits' section. Click on the desired trait to add it to the grid. 	Company we Trach Herm. Anna/5 vp 1512223 1516223 Workin Daw Herm. Company Net Herm. Anna/5 vp 0516223 1616223 Morein Herm.	
 8 If the 'Status' is displayed as 'Inactive', this means the 'Active Date' selected at the top of the page falls outside the grid's 'Active From' and 'Active To' dates. 1 After selecting Amount \$/kg) 1 After selecting Amount \$/kg in the Grid Type section, select the traits to include in the grids. Search for the trait using the drop-down menu in the 'Select Overall Grid Traits' section. Click on the desired trait to add it to the grid. 	Congenera Faria Amort/S-rgs (154-522) 100-122 (200-122) Tool Dates	The table 'Enter Grid Values' will display each trait an
Are you sure you want to delete this Grid? Image: Interview of the status is displayed as 'lnactive', this means the 'Active Date' selected at the top of the page falls outside the grid's 'Active From' and 'Active To' dates. Image: Interview of the page falls outside the grid's 'Active From' and 'Active To' dates. Image: Interview of the page falls outside the grid's 'Active From' and 'Active To' dates. Image: Interview of the page falls outside the grid's 'Active From' and 'Active To' dates. Image: Interview of the page falls outside the grid's 'Active From' and 'Active To' dates. Image: Interview of the grid's 'Active From' and 'Active To' dates. Image: Interview of the grid's 'Active From' and 'Active To' dates. Image: Interview of the grid's 'Active From' and 'Active To' dates. Image: Interview of the grid's 'Active From' and 'Active To' dates. Image: Interview of the grid's 'Active From' and 'Active To' dates. Image: Interview of the grid's 'Active From' and 'Active To' dates. Image: Interview of the grid's 'Active From' and 'Active To' dates. Image: Interview of the grid's 'Active From' and 'Active To' dates. Image: Interview of the grid's 'Active From' and 'Active To' dates. Image: Interview of the grid's 'Active From' and 'Active To' dates. Image: Interview of the grid's 'Active From' and 'Active To' dates. Image: Interview of the grid's 'Active From' and 'Active From' and 'Active From' and 'Active From'		
 8 If the 'Status' is displayed as 'Inactive', this means the 'Active Date' selected at the top of the page falls outside the grid's 'Active From' and 'Active To' dates. 1 After selecting Amount \$/kg in the Grid Type section, select the traits to include in the grids. Search for the trait using the drop-down menu in the 'Select Overall Grid Traits' section. Click on the desired trait to add it to the grid. 		the ranges or values you have selected. In each sect
 8 If the 'Status' is displayed as 'Inactive', this means the 'Active Date' selected at the top of the page falls outside the grid's 'Active From' and 'Active To' dates. 1 After selecting Amount \$/kg in the Grid Type section, select the traits to include in the grids. Search for the trait using the drop-down menu in the 'Select Overall Grid Traits' section. Click on the desired trait to add it to the grid. 	X	the ranges or values you have selected. In each sect
 8 If the 'Status' is displayed as 'Inactive', this means the 'Active Date' selected at the top of the page falls outside the grid's 'Active From' and 'Active To' dates. 1 After selecting Amount \$/kg) 1 After selecting Amount \$/kg in the Grid Type section, select the traits to include in the grids. Search for the trait using the drop-down menu in the 'Select Overall Grid Traits' section. Click on the desired trait to add it to the grid. 	Are you sure you want to delete this Grid?	the ranges or values you have selected. In each sect
 8 If the 'Status' is displayed as 'Inactive', this means the 'Active Date' selected at the top of the page falls outside the grid's 'Active From' and 'Active To' dates. 1 After selecting Amount \$/kg in the Grid Type section, select the traits to include in the grids. Search for the trait using the drop-down menu in the 'Select Overall Grid Traits' section. Click on the desired trait to add it to the grid. 		the ranges or values you have selected. In each sect select the specified range and enter a dollar value.
 8 If the 'Status' is displayed as 'Inactive', this means the 'Active Date' selected at the top of the page falls outside the grid's 'Active From' and 'Active To' dates. 5 In the 'Select Penalties' section, search for a trait to be penalised for this grid by using the drop-down function. To add more rows, select the 'Add Row +' button. Select the traits to include in the grids. Search for the trait using the drop-down menu in the 'Select Overall Grid Traits' section. Click on the desired trait to add it to the grid. 		the ranges or values you have selected. In each sect select the specified range and enter a dollar value.
 the 'Active Date' selected at the top of the page falls outside the grid's 'Active From' and 'Active To' dates. Tid Type (by Amount \$/kg) After selecting Amount \$/kg in the Grid Type section, select the traits to include in the grids. Search for the trait using the drop-down menu in the 'Select Overall Grid Traits' section. Click on the desired trait to add it to the grid. 		the ranges or values you have selected. In each sect select the specified range and enter a dollar value.
 outside the grid's 'Active From' and 'Active To' dates. frid Type (by Amount \$/kg) After selecting Amount \$/kg in the Grid Type section, select the traits to include in the grids. Search for the trait using the drop-down menu in the 'Select Overall Grid Traits' section. Click on the desired trait to add it to the grid. 	Cancel Delete	the ranges or values you have selected. In each sect select the specified range and enter a dollar value.
 In the 'Select Penalties' section, search for a trait to be penalised for this grid by using the drop-down function. To add more rows, select the 'Add Row +' button. Select the traits to include in the grids. Search for the trait using the drop-down menu in the 'Select Overall Grid Traits' section. Click on the desired trait to add it to the grid. 	8 If the 'Status' is displayed as 'Inactive', this means	the ranges or values you have selected. In each sect select the specified range and enter a dollar value.
 Prid Type (by Amount \$/kg) After selecting Amount \$/kg in the Grid Type section, select the traits to include in the grids. Search for the trait using the drop-down menu in the 'Select Overall Grid Traits' section. Click on the desired trait to add it to the grid. 	8 If the 'Status' is displayed as 'Inactive', this means the 'Active Date' selected at the top of the page falls	the ranges or values you have selected. In each sect select the specified range and enter a dollar value.
 Type (by Amount \$/kg) After selecting Amount \$/kg in the Grid Type section, select the traits to include in the grids. Search for the trait using the drop-down menu in the 'Select Overall Grid Traits' section. Click on the desired trait to add it to the grid. 	8 If the 'Status' is displayed as 'Inactive', this means the 'Active Date' selected at the top of the page falls	the ranges or values you have selected. In each sect select the specified range and enter a dollar value.
After selecting Amount \$/kg in the Grid Type section, select the traits to include in the grids. Search for the trait using the drop-down menu in the 'Select Overall Grid Traits' section. Click on the desired trait to add it to the grid. Select Penalties Select Penalties Select Penalties Select the trait of the grid.	8 If the 'Status' is displayed as 'Inactive', this means the 'Active Date' selected at the top of the page falls	the ranges or values you have selected. In each sect select the specified range and enter a dollar value.
1 After selecting Amount \$/kg in the Grid Type section, select the traits to include in the grids. Search for the trait using the drop-down menu in the 'Select Overall Grid Traits' section. Click on the desired trait to add it to the grid.	8 If the 'Status' is displayed as 'Inactive', this means the 'Active Date' selected at the top of the page falls outside the grid's 'Active From' and 'Active To' dates.	the ranges or values you have selected. In each sect select the specified range and enter a dollar value.
select the traits to include in the grids. Search for the trait using the drop-down menu in the 'Select Overall Grid Traits' section. Click on the desired trait to add it to the grid.	8 If the 'Status' is displayed as 'Inactive', this means the 'Active Date' selected at the top of the page falls outside the grid's 'Active From' and 'Active To' dates.	In the 'Select Penalties' section, search for a trait to b penalised for this grid by using the drop-down function. Select the 'Add Row +' button. Select
trait using the drop-down menu in the 'Select Overall Grid Traits' section. Click on the desired trait to add it to the grid.	 8 If the 'Status' is displayed as 'Inactive', this means the 'Active Date' selected at the top of the page falls outside the grid's 'Active From' and 'Active To' dates. rid Type (by Amount \$/kg) 	In the 'Select Penalties' section, search for a trait to b penalised for this grid by using the drop-down function. To add more rows, select the 'Add Row +' button. Select the pen icon in each column and enter the specific
Grid Traits' section. Click on the desired trait to add it to the grid.	 If the 'Status' is displayed as 'Inactive', this means the 'Active Date' selected at the top of the page falls outside the grid's 'Active From' and 'Active To' dates. Tid Type (by Amount \$/kg) After selecting Amount \$/kg in the Grid Type section, 	In the 'Select Penalties' section, search for a trait to b penalised for this grid by using the drop-down function. To add more rows, select the 'Add Row +' button. Select the pen icon in each column and enter the specific values to be penalised. You can select either a \$/kg
to the grid.	 8 If the 'Status' is displayed as 'Inactive', this means the 'Active Date' selected at the top of the page falls outside the grid's 'Active From' and 'Active To' dates. rid Type (by Amount \$/kg) 1 After selecting Amount \$/kg in the Grid Type section, select the traits to include in the grids. Search for the 	In the 'Select Penalties' section, search for a trait to b penalised for this grid by using the drop-down function. To add more rows, select the 'Add Row +' button. Select the pen icon in each column and enter the specific values to be penalised. You can select either a \$/kg
	 8 If the 'Status' is displayed as 'Inactive', this means the 'Active Date' selected at the top of the page falls outside the grid's 'Active From' and 'Active To' dates. 9 After selecting Amount \$/kg in the Grid Type section, select the traits to include in the grids. Search for the trait using the drop-down menu in the 'Select Overall 	Images or values you have selected. In each sect select the specified range and enter a dollar value. Images or values you have selected. In each sect select the specified range and enter a dollar value. Images or values you have selected. In each sect select the specified range and enter a dollar value. Images or values you have selected. In each sect select the specified range and enter a dollar value. Images or values you have selected. In each sect select the specific you have select the 'Add Row +' button. Select the pen icon in each column and enter the specific you have so be penalised. You can select either a \$/kg or a percentage penalty type and add the value to subscription.
	 8 If the 'Status' is displayed as 'Inactive', this means the 'Active Date' selected at the top of the page falls outside the grid's 'Active From' and 'Active To' dates. vid Type (by Amount \$/kg) 1 After selecting Amount \$/kg in the Grid Type section, select the traits to include in the grids. Search for the trait using the drop-down menu in the 'Select Overall Grid Traits' section. Click on the desired trait to add it 	Images or values you have selected. In each sect select the specified range and enter a dollar value. Images or values you have selected. In each sect select the specified range and enter a dollar value. Images or values you have selected. In each sect select the specified range and enter a dollar value. Images or values you have selected. In each sect select the specified range and enter a dollar value. Images or values you have selected. In each sect select the specific you have select the 'Add Row +' button. Select the pen icon in each column and enter the specific you have so be penalised. You can select either a \$/kg or a percentage penalty type and add the value to subscription.

Remove Penalty Orid 🗙 Add Penalty Grid +

•••


. .

	Grid Specifications	Reports		You are viewing cattle
C Dark to My Crids				
Create Gr	id			
Enter Grid De	tails			
GRID NAME			TARGET MARKET	
ACTIVE FROM		G	ACTIVE TO:	G
980 TYPE:	Amount Shg		-	
Select Overall				
	Grid Traits o applicable to this prod	0		
Select which traits an Traits Set HSCW Tra	• Replicable to this grid • HECW () PE Fell alt Range(s)	0		SINGLE VALUE RANGES
Soloct which traits an Traits	Applicable to this prod HECW (PS Fee at Range(s) HSCW	200 kg		SINGLE VALVE RANGES COULD AND POINT +
Select which traits an Traits Set HSCW Tra	A speciality is this prof. A RECOV (2) (PE Fee at Range(s) resCV 248 kg 1			

6 To add additional penalty grids, select 'Add Penalty Grid' and complete the details as required. If penalties are no longer required in the grid, select 'Remove Penalty Grid' to remove.

.

.








In the 'Enter Discount Values By' section, you can select to enter values by grid (manual as per Amount \$/kg grid set up) or by trait. Selecting by trait will allow you to enter discount values which will pre-fill the grid at the bottom of the page.

TRAFT 6403	i i					
Set HSCW Trait Range(s)				SINGLE	THUE RANGES	
Select the range for HSCW	247.9g 227.9				Citab to Add Paint +	
OLp	· · · · ·	-			1300	ч
Include 0 - 240kg					Include 320kg -	
et Dentition Trait Range(s)				1	SINGLE VALUE	ANGES
et Dentition Trait Range(s) lect the range for Dentiton				(ANGES
	2		4	(
	2	3	4	(Chex to	



icon in each column and enter the specific values to be penalised. You can select either a \$/kg or a percentage

penalty type and add the value to suit.

When you have completed all the required information, select 'Finish Setting Up Grid' to complete the set up.

Cancel

Remove Premiums Grid ×

Finish Setting Up Grid

Add Row +







8



